unisharpfixed

1 mL fixed needle syringe

Available with both 27G and 29G needles







Contents

| About us | 3 |
|--------------------|---|
| Accidental sharing | 4 |
| FAQs | 5 |
| Quality | 6 |
| Survey | 7 |





About us

Exchange Supplies is a social enterprise established in 2002 to supply products, information, and services to improve and prolong the lives of people who inject drugs.

Being a social enterprise means that we are principally driven by our health and social objectives which are:

- reducing the health impacts of injecting drug use;
- developing injecting equipment that causes less harm;
- providing employment and training to people with a history of drug dependence; and
- improving the understanding of injecting drug use.

In partnership with Terumo Australia we introduced syringes with coloured plungers to Queensland in November 2017, New South Wales, South Australia and Northern Territories in 2019, and are now very happy to be able to supply Western Australia in 2020!

By choosing our products, you are providing high quality injecting equipment, with a proven track record of distribution to injecting drug users, designed to maximise the benefits of service provision, and contributing to the research and development of new products.

I am looking forward to working with harm reduction services in Australia to improve injecting equipment supply, and reduce accidental sharing of syringes.

Andrew Preston

Exchange Supplies
October 2020

You can contact me by email: andrew@exchangesupplies.org Or via Facebook: facebook.com/exchangesupplies.org/

Accidental sharing

In 2004 a video ethnography study of injecting drug use found that a significant cause of sharing was 'accidental sharing' of syringes, particularly where there was:

- shared storage of used injecting equipment;
- collective preparation of drugs for injection; and
- mix ups in injecting environments with multiple syringes/injectors.

This was not caused by lack of knowledge of BBV transmission, or decisions to take risks, but by the fact that all the syringes were identical. This was a risk inherent in the environment, that significantly





increased the chances of BBV transmission regardless of the intentions of the injecting drug users. The study found high levels of awareness of the risk, and identified strategies implemented to reduce it but concluded that it would be most effectively reduced by the introduction of clearly visible difference to the syringes.

This problem wasn't confined to the study area (although it was particularly bad there with low coverage) and drug user groups in Australia and elsewhere have confirmed that this is an almost universal issue for injecting drug users who find themselves reusing injecting equipment, even if only occasionally.

Our 1mL Unisharp Fixed Needle Syringes have five different colour plungers to promote syringe recognition, and prevent accidental sharing. The range of colours allows couples to choose a colour that they stick to, and also allows people to collect equipment for use by others that is clearly differentiated.

When encouraged to do this by needle and syringe programme staff it provides a positive way for people to request more equipment for others which increases coverage, and reduces sharing.

Building change into the environment maximises the benefits, and is more likely to reduce sharing than relying on people to mark their injecting equipment to identify it. Having the difference built into the syringes, and not requiring any further action by the user of the syringe maximises the chances of the strategy working.

Q. Are you encouraging syringe re-use?

A. No. Single use is definitely the ideal, and all services should endeavour to issue more syringes than people need so that they never have to re-use.

However, syringe re-use is still a regular occurrence, and the coloured syringes endeavour to reduce the risks associated with syringe re-use.

Q. Won't the colours be more attractive to children?

A. They may be, but our experience in the UK has been that because of this parents report being extra careful about keeping syringes out of reach of children, and that if discarded in public places, they are more easy to see than 'standard' syringes and therefore get disposed of properly more quickly.

Q. What do we do if one colour is more popular than another?

A. In practice this really isn't a problem: workers in Queensland report that you can easily give the colours that you have more of to people as the extra syringes they take for their friends, or just say "oh, I haven't got any of them here, are you okay with these ones?", or pop them in packs that you're pre-making for people to grab and run.

Q. Can one colour be better than another?

A. No. they're all made on the same production line, and the plungers and caps are added at the end, so they are definitely all the same.

Q. At primary NSEPs how many colours should we offer people?

A. People should have more than enough syringes for their own needs, and usually these would be all one colour.

If there is any possibility that others might want to use their syringes, then they should take as many colours as they need – one other colour if there is just two of them, more if they regularly inject with others.

Quality

We have over 10 years of experience supplying our own brand and proprietary needles and syringes to the harm reduction market. The launch of the 1mL Unisharp Fixed Needle Syringes exceeded our expectations.

Introductions of new syringe can always trigger client concerns and complaints but these have been few with the 1mL Unisharp Fixed Needle Syringe, and since the launch sales have grown organically, and steadily and are now at just under 1 million units per month, giving them an approximately 30% market share of the UK.


Every component of the syringe is inspected by eye before, during, and after assembly by trained personnel.













There are also cameras on the production line that take a digital photograph of every single needle, compare it on the fly with a master image of a perfect needle, checking that the needle is in at a perfect angle, and the point is sharp. If a needle doesn't pass this test, it is ejected from the production line and the materials are recycled.

We have sold over 20 million Unisharp syringes in the UK, and have been supplying the state of Queensland for three years, and NSW for one year.



29G Unisharp Trial November 2018 Survey Summary 178 Respondents

1. Did you try the syringes yourself?

| Yes | No | Total |
|-------|------|-------|
| 173 | 5 | 178 |
| 97.0% | 3.0% | 100% |

2. Overall, how would you rate the Unisharp coloured Syringes?

| 1 | 2 | 3 | 4 | 5 | Total |
|----|------|-------|-------|-------|-------|
| 9 | 8 | 30 | 53 | 78 | 178 |
| 5% | 4.5% | 17.0% | 29.5% | 44.0% | 100% |

3. Would you like the coloured syringes to be available to you at your service?

| Yes | No | Total |
|-------|-------|-------|
| 159 | 19 | 178 |
| 89.5% | 10.5% | 100% |

4. Would you recommend the coloured syringes to a friend?

| Yes | No | Total |
|-------|-------|-------|
| 159 | 19 | 178 |
| 89.5% | 10.5% | 100% |

5. Do you think that the coloured syringes will help prevent accidentally sharing?

| Yes | No | Total |
|-------|-------|-------|
| 156 | 22 | 178 |
| 87.5% | 12.5% | 100% |

6. How did you dispose of the coloured syringes?

| General waste | Public toilet | Returned it to the service | Sharps disposal unit | They got stolen | Used 1 and gave the rest away | Total |
|---------------|---------------|----------------------------|-------------------------|--------------------|-------------------------------------|-------|
| 4 | 2 | 133 | 37 | 1 | 1 | 178 |
| 2.5% | 1.0% | 74.5% | 21.0% | 0.5% | 0.5% | 100% |

7. Do you think we should make the white syringe another colour?

| | Yes | No | Did not answer | Purple | Green | Pink | Red | Glow in the dark/Fleoro |
|---|-----|----|----------------|--------|-------|------|-----|-------------------------|
| Γ | 44 | 34 | 21 | 21 | 20 | 19 | 6 | 4 |

*Most popular responses

8. Is there anything you would like to add?

| No. | | | × 8 |
|---|---|---|---------------------------------|
| Love them. | | | × 4 |
| Great. | | | × 2 |
| Plunger | | | |
| The plunger was too tight. | The plunger is difficult to | | |
| Difficult to pull back. | Have to use force to pull | the plunger out | |
| Liked that the plunger didn't | | | |
| Once the plunger was pulled | | • | |
| Make plunger so it can be re end; hard to get rid of air bu Manufacture of syringe isnt | bble. Great tip. Lighter colo | ours. Light blue please :) | s from sitting in middle at tip |
| Yes. The only thing not suit pull out the plungers to use the plunger. People have ta | ed with the colour syringe it for mixing up in a spoon. | s, is that, you can't pull out It's clean & not infected wit | h germ. This is why the use |
| Problem with the air bubble | removal | You can't get the air bubb | le from top of syringe. |
| Hard to remove remaining a | | Hard to get rid of the air b | |
| Hard to clear air bubbles. | | Couldn't get the bubble ou | |
| The air bubbles dont come | out. The colours could be a | | |
| Did not use due to dysfuncti air bubble. Air bubble hard to get rid of. | | | - |
| After drawing up it was diffic | cult to remove all the air fro | m the barrel | |
| Syringes feel stiff, upper cav | vity retains too much air, <mark>st</mark> | narp but not smooth. | |
| I found it hard to get the last | bit of air out of the syringe |). | |
| Couldnt get rid of the air but | obles. I would not try again | . Dont get them. | |
| Usage | | | |
| I found no real difference in | usage. | Delicate but worked | |
| Heaps better grip, recomme | nd them highly. | Not so good for second us | se. But love them. |
| They were great. Easy to us | se. No problem. | They were noticeably bett | er to use |
| Hard to use - not a fan. Migl | nt be due to the fact I don't | like change. | |
| Not constant the first was ea | | | |
| Very smooth to operate; plu | nger safety mechanism - g | reat idea. | |
| Tip is too big - lose most do | | | = ell. |
| I like them, easier to grip an | | | |
| Good Idea with the finger gr | | | |
| Very fragile but good | | | |
| Negative feedback | | | |
| They are promoting using th | ne same dirty needles. If ne | eople resude who puts water | er in. |
| I like the collar on the old sy | | | |
| Lids look like pen lids and w | | | |
| Unsure if different gauge bu | | er entry mark. | |
| Quality | sio pain and loave larg | 5. 5.m.j manu | |
| Just not as good of quality. | | Poor quality, needs impro | vina |
| Table 10 good of quality. | | , cor quality, needs impro | ***** |

Page **2** of **4**

| Could be better | The quality is not up to the usual needles standard |
|--|---|
| Too fragile | They are sharper and better. |
| the quality isnt great. they felt weird and plunger wa | as looser than the normal fits |
| These feel less sharp than original. These hurt quit | te a lot |
| Colour | |
| More colours the better! | Is there green |
| I think the boxes should have mixed colours | Because people relate orange to drug users. |
| Boxes should have mixed colours | Would replace white with green. |
| Fluoro green | You should bring out festival seasons. |
| Mixed colours for different times of the year :) | Better than the old. |
| They should be black. | Appeal to kids coloured, eg. lollies, textas, lego. |
| White and grey should be different colours. | |
| Needle part is easy to bed when you push throug improvement that i can see | gh scar tissue. Slightly stronger needle would be the only |
| Possibly mix the colours in the boxes so can def kn | now whose is whose. |
| Be better not to have white or silver at all. Have blu | |
| It doesn't matter about the colour as I have seen 2 | people with same colours |
| Better to have all bright colours. Need to test for a f | few months. |
| I think a 27g and 29g should be available. 27g push | h through thicker skin a bit better. |
| Fit lids need to stay a bright (danger) colour, red or | bright orange. |
| White looks too much like a regular BD so it'd get s | shared. <mark>Blunt tip.</mark> |
| Get rid of the blue and you can't pull the plunger ou | ut |
| Reduces sharing | |
| I have HIV. It stops people using mine in our house | where 7 other users live. |
| This works when you're with a partner so you don't | get them mixed up |
| | Every fitpack should have 5 different coloured fits. Only |
| | nt recognise these and more likely for needle stick injuries. |
| I loved them, I knew which was mine. | |
| General positive feedback | |
| Heaps better. | Better than the ultrafine. |
| Awesome. | Good idea. Should be rolled out. |
| Much better, safer option. | No, they are great 10/10 |
| Its a great fun idea | Excellent |
| They're amazing, I love them. | Excellent. Blue easy to disguise. |
| Good idea | All good. |
| Awesome work, they are great. | Be good to have all the time. |
| Good idea | Stock them here soon |
| Please make them and soon as possible. Thanks. | |
| fun fits | ow all the positive advise and help etc and the ladies and a |
| Good job, keeps it interesting and good way to disc | cuss other issues. |
| PBHRWA | |
| You do a lovely job. | This service is great. |
| | Theories |
| Love PBHRWA! | Thanks |

Page 3 of 4

| Fit exchange is a great service. | Great place | | |
|---|---|--|--|
| Love your work, keep it up guys. | Girls are great on the desk. | | |
| Thanks for the free fits you guys are awesome | Merry Christmas. | | |
| Yes I would like more outlets and more opening times. | | | |
| I think this is a great program, thank you for continuous substance abuse. | uing to minimise harm for those of us struggling with | | |
| Miscellaneous comments/suggestions | | | |
| No brainer | Free drugs to put in them | | |
| A syringe with a longer needles is useful. | Mixing cup, scale, water. | | |
| Little mixing cup. | Drugs | | |
| Drugs | Black syringe/steroid needles complimentary 05 scrip | | |
| Filters should be supplied with every fit to stop dirties a | and the disease transmitted by blood. | | |
| I'm in California, when & where can I find these and he | ow much do they cost? | | |
| I would like to be given a selection/option as to what s | yringes i may require. | | |
| Narcan! Didn't like it as much as the BDs but happy to | support for others to use | | |
| Tips that once used retract like epipens to save sticks for kids, non-users, non hep c. | | | |
| Pressure government to allow the sale of single use syringes. | | | |
| No comment | | | |
| Nothing to add. | Nothing | | |
| No thank you | N/A | | |
| | | | |

